



First Security Islami Bank Limited
ICT Division

Head Office
Plot#12, 2nd & 3rd Floor, Main Road.
Block # A, P.S- Badda,
Bashundhara R/A, Dhaka-1229.
Web: www.fsibibd.com; email: ictp@fsibibd.com

Ref: FSIBL/HO/ICT/2021/903

Date: 08.12.2021

TENDER FOR SUPPLYING NETWORK & STRUCTURE CABLING EQUIPMENT [Category # 2]

Bidder Reg. No.

Section A: General Information

| SN | Item | Description | | | | | |
|----|---|--|------------------------------|------------------------|-------------------|---------------------|------------|
| 1 | Name of the Bank | First Security Islami Bank Limited | | | | | |
| 2 | Procuring Entity Name | Information & Communication Technology Division | | | | | |
| 3 | Invitation of tender for | Supplying & installation of brand new Router, Switch, IP Phone sets, Structured Cabling & Access Control System equipment as per technical specifications detailed in "Section C" hereunder from the eligible and registered vendors/suppliers/distributors/local agents or retailer of brand equipment manufacturers and retailer as specified in "Section B" hereunder. | | | | | |
| 4 | Invitation for Quotation Ref. & Date | FSIBL/HO/ICT/2021/903 Date: 08.12.2021 | | | | | |
| 5 | Procurement Method | Open Tendering Method | | | | | |
| 6 | Source of Fund | First Security Islami Bank Limited | | | | | |
| 7 | Registration of bidders & price of Tender Document: | The interested eligible bidders have to enroll their name by submitting a prayer along with a non-refundable registration/enrollment fee Tk.2,500.00 (Taka Two Thousand Five Hundred) only in the form of "Payment Order" in favor of "First Security Islami Bank Limited" during submission of tender. No Tender documents will be sold physically. The bidder have to copy or download this tender documents from the website: www.fsibibd.com and place them on their own letterhead to submit their bid. | | | | | |
| 8 | Tender Process Dates & Times | Tender | Schedule Distribution | Pre-Bid Meeting | Submission | Opening Time | |
| | | Process | Start | End | Start | End | |
| | | Date | 08.12.2021 | 20.12.2021 | 14.12.2021 | 28.12.2021 | 28.12.2021 |
| | | Time | 03.00 PM | 03:00 PM | 02:30 AM | 03:00 PM | 03:30 PM |
| 09 | Tender Validity | 01 (One) Year from the date of Notification of Award [NOA] | | | | | |
| 10 | Place of opening tender documents | First Security Islami Bank Limited, Plot#12, 2 nd & 3 rd Floor, Main Road. Block # A, P.S- Badda, Bashundhara R/A, Dhaka-1229. | | | | | |
| 11 | Composition of bid Price shall be inclusive of | The costs of complete installation of the equipment as instructed by the bank, testing, commissioning, delivering to directed site and admissible VAT, excise duty, subsidiary duty, import duty, ATV, AIT etc. all types of taxes and revenues of the government and other regulatory authorities along with time value of money up to settlement of bills taking clearances from the end user of the bank. | | | | | |
| 12 | Delivery Address | First Security Islami Bank Limited, Plot#12, 2 nd & 3 rd Floor, Main Road. Block # A, P.S- Badda, Bashundhara R/A, Dhaka-1229. | | | | | |
| 13 | Mode of payment | The supplier will have to submit the bill after supplying of all equipment with delivery challan. The bill will be paid after getting the satisfactory certificate from ICT Division, FSIBL, Head Office expressing clearly that the end user has no objection. | | | | | |

Signature & Seal of the bidder

| | | |
|----|--|---|
| 14 | Submission of bidders Qualifications/Eligibility and course of bidder | The interested registered bidder shall copy the "bidders' qualification" form from the webpage and place them on their own letterhead write their qualifications and individual information in a separate sealed envelope with proper labeling mentioning- "Bidder's Qualifications /Eligibility for supplying Network equipment", Name of the bidder & Registration No. |
| 15 | Submission of Technical Specifications | The interested registered bidder shall copy the Asked Technical Specifications form from the webpage and place them on their own letterhead write their own specifications and part numbers in the designated fields and submit the document along with the supporting original brochure, detail color picture in a separate sealed envelope with proper labeling mentioning- "Technical Specifications- for supplying Network equipment", Name of the bidder & Registration No. All the bidders have to submit the softcopy of their personal data and technical offers in a readable CD/DVD ROM along with the technical offer and send a copy of the same after opening of the tender to the email address: ictp@fsiblb.com |
| 16 | Submission of Financial Offer | The interested registered bidder shall copy the Financial Offer form from the webpage and place them on their own letterhead and write their price offer for Section C in the designated field(s) and submit the document in a separate sealed envelope with proper labeling mentioning- "Financial Offer- for supplying Network equipment", Name of the bidder & Registration No. |
| 17 | Name and address of the Office for receiving tender(s) | Vice President & Head of ICT Division. First Security Islami Bank Limited, Plot#12, 2 nd & 3 rd Floor, Main Road. Block # A, P.S- Badda, Bashundhara R/A, Dhaka-1229. |
| 18 | Address of Official Inviting Tender | Do. |
| 19 | Contact Details | Telephone No. 02-8432613-22 Ext: 303 IPT: 09678544303 email: ictp@fsiblb.com |
| 20 | Special Instruction | The Bank Authority reserves the right to - <ol style="list-style-type: none"> 1. Explain or clarify the terms of this tender notice in its own way, 2. Bring necessary changes in the notice 3. Increase or decrease the tender quantity 4. Reject the lowest 5. Reject any or all bids 6. Select any bidder deems fit and proper by them 7. Bidder can bid full or any part of the Section "C" <p>The bank authority can perform all the above things without assigning any reason. The bidder/supplier shall have no right to challenge the decision of the Bank Authority in any court of law or to any arbitrator.</p> |

Signature & Seal of the bidder

TENDER FOR SUPPLYING NETWORK EQUIPMENT

Tender Ref. FSIBL/HO/ICT/246

Date:

Bidder Reg. No.

Section B: Bidder's Information and Qualifications/Eligibility

| SN | Description | Qualification | Response | Remarks |
|-----------|--|---|-----------------|-------------------------------------|
| 01 | Name of the Bidder | Required | | Attach NID copy |
| 02 | Designation of the Bidder | Required | | |
| 03 | Company Name | Required | | |
| 04 | Company Type [Proprietorship, Partnership, Private Limited, Public Limited etc.] | Required | | |
| 05 | Website address of the company | Required | | |
| 06 | Bidder's Office Phone No. | Required | | Attach bill copy |
| 07 | Bidder's email address | Required | | Send "Test" mail to ictp@fsibld.com |
| 08 | Bidder's Mobile No. | Required | | |
| 09 | Verified Business Address | Required | | Attach proof |
| 10 | Name of Contact Person | Required | | Attach NID copy |
| 11 | Designation of the contact Person | Required | | |
| 12 | Official email address | Required | | Send "Test" mail to ictp@fsibld.com |
| 13 | Valid Trade License No. | Required | | Attach proof |
| 15 | Valid VAT Registration No. | Required | | Attach proof |
| 15 | Valid ETIN | Required | | Attach proof |
| 16 | Valid IRC No. | Required | | Attach proof |
| 17 | Authorization of the Principal | Required | | Attach proof |
| 18 | Bank solvency certificate | Required | | Attach proof |
| 19 | Are you adequately solvent to sale on? Credit for a period of 6 months or more? | Yes/No. | | |
| 20 | Experience: The bidder must have 3 years of experience for supplying similar products in at least 3 different commercial Banks of Bangladesh. | Required Bank- WO- Date- Quantity- | | Attach proof |
| 21 | Principal's Name, Postal Address, Web address | Required | | Might be verified |
| 22 | Are you Banned by any bank authority or? Government agency? | Yes/No | | |
| 23 | Will you import the product from original? Equipment manufacturer? If no, who will import your products give its details | Yes/No./details | | |

Statement of the bidder: All the above information provided hereinabove are true. We will supply the order from genuine, valid and lawful sources and will pay all admissible VAT, Tax & other duties as per rule of the Government of Bangladesh.

Signature & Seal of the bidder

TENDER FOR SUPPLYING NETWORK EQUIPMENT

Tender Ref. FSIBL/HO/ICT/246

Date: 08/12.2021

Bidder Reg. No.

Section C: Technical/Financial Specifications of Tendered Network Equipment

1. Router/Switch:

| | |
|----------------------------------|--|
| Brand : | To be mentioned |
| Model : | Model : To be mentioned |
| Country of origin : | USA/ EU/ UK |
| Country of manufacture : | Country of manufacture : To be mentioned |
| Enclosure Type and Form Factor : | Rack mountable, not more than 1U |

| Item Name | Specifications |
|--|---|
| Branch Router | |
| Router Type 1 | Router should be onboard WAN or LAN 10/100/1000 ports - 2 RJ-45-based ports 2, SFP-based ports 1, NIM slots 2 Throughput 35 Mbps to 75 Mbps, 8 GB Flash Memory default, 4 GB DRAM default with Security License, IP Base License, Network Plug-n-Play Connect for zero-touch device deployment, AC Power Supply, Blank faceplate for NIM slot, rack mount kit 12month manufacturers replacement warranty |
| Router Type 2 | Router should be 2 onboard GE, 2 NIM slots, 1 ISC slot, 4 GB Flash Memory default, 4 GB/8GB (maximum) DRAM default. Throughput 50 Mbps to 100 Mbps IP Base License & Security License, AC Power Supply, 4G Flash Memory for Soldered on motherboard, 4G DRAM for Soldered on motherboard, Blank faceplate for NIM slot 12month manufacturers replacement warranty |
| Router Type 3 | 8 Ports Dual GE WAN Ethernet Router, Power Supply 66 Watt AC V2, IP Base License Network Plug-n-Play Connect for zero-touch device deployment, Eco-friendly - Ship router with only Power cables only, AC Power Cord (UK), C13, BS 1363, 2.5m Router Rackmount Wall mount Kit, Security License. 12month manufacturers replacement warranty |
| Router Type 4 | 4 Ports Dual GE WAN Ethernet Router, Power Supply 66 Watt AC V2, IP Base License AC Power Cord (UK), C13, BS 1363, 2.5m, Security License 12month manufacturers replacement warranty |
| Router Type 5 | 2 ports Gigabit Ethernet (GE) , 4-port GE managed switch, IP Base License & Security License, Eco-friendly - Ship router with only Power cables only, AC Power Cord (UK), C13, BS 1363, 2.5m, 19-inch Rackmount Kit, Default and maximum DRAM 1GB Default and maximum flash memory 2 GB, One USB 2.0 Type A port, Separate console ports RJ-45 12month manufacturers replacement warranty |
| Router Type 6 | WAN Interfaces 1-port GE or 1-port SFP 1-port GE, LAN Interfaces: 8-port 10-/100-/1000-Mbps managed switch, Integrated USB 2.0/AUX/Console, Power Supply 66 Watt AC V2, 890 Advanced IP Services License, AC Power Cord (UK), C13, BS 1363, 2.5m, RAM Max Supported Size 1GB 12month manufacturers replacement warranty |
| ATM/Collection Booth Router | |
| Mikrotik Router- RB3011UiAS-RM or Similar | 1U rackmount, 10xGigabit Ethernet, SFP, USB 3.0, LCD, PoE out on port 10, 2x1.4GHz CPU, 1GB RAM, RouterOS L5 |
| Mikrotik Router- RB4011iGS+RM or Similar | Powerful 10xGigabit port router with a Quad-core 1.4Ghz CPU, 1GB RAM, SFP+ 10Gbps cage and desktop case with rack ears |
| Mikrotik Router- RB450GX4 or Similar | IPQ-4019 716 MHz , 4Core , 5 Gigabit , 1GB RAM , Router OS5 , microSD slot |
| Branch Switch | |
| Switch Type 1 | 24x 10/100 Ethernet ports, 2x 1GSFP and RJ-45 combo uplinks and 2x 1G SFP uplinks DRAM 512 MB, Flash memory 256 MB, Forwarding bandwidth 6.4 Gbps Switching bandwidth 12.8 Gbps, Forwarding rate 9.52 Mpps, Maximum active VLANs 256, AC Power Cord (UK) 12month manufacturers replacement warranty |

Signature & Seal of the bidder

| | |
|-----------------------------|--|
| Switch Type 2 | 24x 10/100/1000 Ethernet ports, 4x 1G SFP uplinks, Forwarding bandwidth 28 Gbps Switching bandwidth 56Gbps, Forwarding rate 41.67 Mpps, MAC addresses 16000 AC Power Cord (UK), 12month manufacturers replacement warranty |
| Switch Type 3 | 8-Port 10/100 Desktop Managed / Unmanaged Switch |
| Switch Type 4 (PoE) | 24port GE, POE, 4x1G SFP 195W, Forwarding bandwidth 28 Gbps Switching bandwidth 56Gbps, Forwarding rate 41.67 Mpps MAC addresses 16000, AC Power Cord (UK), 12month manufacturers replacement warranty |
| Switch Type 5 (PoE) | 16port GE, POE, 2x1G SFP , 120W, Forwarding bandwidth 18 Gbps Switching bandwidth 36Gbps, Forwarding rate 26.78 Mpps MAC addresses 16000, AC Power Cord (UK), 12month manufacturers replacement warranty |
| Switch Type 6 (PoE) | 8 port GE, POE, 2x1G SFP, 67W, Forwarding bandwidth 10 Gbps Switching bandwidth 20 Gbps, Forwarding rate 26.78 Mpps MAC addresses 16000, AC Power Cord (UK), 12month manufacturers replacement warranty |
| Switch Type 7 (PoE) | 8*10/100/1000 Base-T Ethernet ports (Data/Power), 1*10/100/1000 Base-T Ethernet ports (Data), 1*1000 Base-X SFP ports (Data), Switch capacity 20Gbps, VLAN-based routing, IPv4 static routing adding, Static ARP adding/deleting, ARP aging time configuration 12month manufacturers replacement warranty |
| Switch Type 8 (PoE) | 8 10/100/1000Base-T RJ-45 Auto-MDI/MDI-X ports, 2 1000Base- SX/LX/BX SFP interfaces (Port-9 and Port-10), Compatible with 100Base- FX SFP, PoE Power Budget:115 Watts, Switching capacity 20Gbps / non- blocking, Throughout 14.88Mpps, IEEE 802.3x Pause Frame for Full-Duplex Back pressure for Half-Duplex 12month manufacturers replacement warranty |
| Switch Type 9 (PoE) | 16 10/100/1000 Base-T Ethernet ports and 4 extra independent 1000Base-X Gigabit SFP ports. Switching capacity 36Gbps, PoE budget : Single port: AF: 15.4W, AT: 30W, Whole device: 230W, Rack mounting : support IEEE 802.3/IEEE 802.3u/IEEE 802.3ab/IEEE 802.3x/ IEEE 802.3af/IEEE 802.3at 12month manufacturers replacement warranty |
| Switch Type 10 (PoE) | 24 10/100/1000 Base-T Ethernet ports and 4 extra independent 1000Base-X Gigabit SFP ports. Electively prevent MAC-base attacks. Permit or restrict flow based on MAC address, Switching capacity 56Gbps, Throughput 35.7Mpps, All RJ45 ports support IEEE 802.3af PoE (15.4W) or 802.3at PoE+ (30W) power supply, auto detect and recognize IEEE802.3af PoE device to power supply; support PoE power intelligent management, PoE+ Support the user authentication by 802.1X and MAC authentication, Ports 1- 24 support IEEE 802.3af/at PoE standard; up to 30W power output per PoE port. Allows and assures packets to be forwarded by all ports at full wire speed. supports VLAN, IGMP, QoS, DHCP Snooping, Telnet, etc. 1U(thickness)-steel casing and 19-inch rack; With the help of hangers, it can be installed on the standard rack. 12month manufacturers replacement warranty |

2. IP Phone Sets:

| Brand & Model | Specification | Country of Origin | Unit Price |
|--|----------------------------|-------------------|------------|
| AVAYA VANTAGE K175 dual port with camera or Similar | Mention | Mention | |
| AVAYA VANTAGE K155 port with camera or Similar | Mention | Mention | |
| AVAYA J139 IP PHONE or Similar | Mention | Mention | |
| AVAYA J129 IP PHONE or Similar | Mention | Mention | |
| AVAYA J159 IP PHONE or Similar | Mention | Mention | |
| AVAYA J179 IP PHONE or Similar | Mention | Mention | |
| AVAYA J189 IP PHONE or Similar | Mention | Mention | |
| Avaya existing system IP phone perpetual user license | Perpetual per user license | | |

3. Network Infrastructure

| Brand : | To be mentioned | | | | | |
|-------------------------------|---|---------|--|---------|------|------------|
| Model : | To be mentioned | | | | | |
| Country of origin : | USA/ EU/ UK (Updated Proof Document Should be Provided) | | | | | |
| Country of manufacture : | USA/ EU/ UK (Updated Proof Document Should be Provided) | | | | | |
| Country of Product Shipment : | To be mentioned (Updated Shipment Document Should be Provided) | | | | | |
| SN | Specification | Brand | Country of Origin & Country of Manufacture | Part # | UOM | Unit Price |
| 1 | UTP Cat 6 Cable (LSZH), 305 Meter in a box. | Mention | EU/UK/USA | Mention | Box | |
| 2 | Double Shuttered Face Plate. | Mention | EU/UK/USA | Mention | Nos. | |
| 3 | TX6 Plus Category 6 Modular Jack. | Mention | EU/UK/USA | Mention | Nos. | |
| 4 | 1 M TX 6 Patch Cord (LSZH) .Factory Tested | Mention | EU/UK/USA | Mention | Nos. | |
| 5 | 1.5 M TX 6 Patch Cord. (LSZH) Factory Tested | Mention | EU/UK/USA | Mention | Nos. | |
| 8 | 3 M TX 6 Patch Cord. (LSZH) Factory Tested | Mention | EU/UK/USA | Mention | Nos. | |
| 9 | 5 M TX 6 Patch Cord. (LSZH) Factory Tested | Mention | EU/UK/USA | Mention | Nos. | |
| 10 | TX 6 RJ-45 CAT-6 Connector | Mention | EU/UK/USA | Mention | Nos. | |
| 11 | 24 Port Patch Panel with TX6 PLUS Category 6 Modular Jack (Loaded). | Mention | EU/UK/USA | Mention | Nos. | |
| 12 | Manager Horizontal Wire Manager, front & rear duct 1U | Mention | EU/UK/USA | Mention | Nos. | |
| 13 | Manager Horizontal Wire Manager, front & rear duct 2U | Mention | EU/UK/USA | Mention | Nos. | |
| 14 | RJ-45 CAT-6 Jointer | Mention | EU/UK/USA | Mention | Nos. | |
| 15 | UTP Cat 6A Cable, (LSZH) 305 Meter in a box. | Mention | EU/UK/USA | Mention | Box | |
| 16 | 1 M TX 6A Patch Cord. (LSZH)Factory Tested | Mention | EU/UK/USA | Mention | Nos. | |

Signature & Seal of the bidder

| | | | | | | |
|---------------------------|--|-------------------|-----------|---------|------|--|
| 17 | 1.5 M TX 6APatch Cord. (LSZH) Factory Tested | Mention | EU/UK/USA | Mention | Nos. | |
| 18 | 3 M TX 6A Patch Cord. (LSZH)Factory Tested | Mention | EU/UK/USA | Mention | Nos. | |
| 19 | 5 M TX 6A Patch Cord. (LSZH) Factory Tested | Mention | EU/UK/USA | Mention | Nos. | |
| 20 | TX6 Plus Category 6A Modular Jack. | Mention | EU/UK/USA | Mention | Nos. | |
| 21 | TX 6 RJ-45 CAT-6A Connector | Mention | EU/UK/USA | Mention | Nos. | |
| Rack (6U, 9U, 12U, 15U) | | | | | | |
| 22 | Size: 600 mm (w) x 600 mm (D) | Toten / Avanix | Mention | Mention | Nos. | |
| | Features: | | | | | |
| | Opening direction Front Glass Door. | | | | | |
| | Quick release Front and Back doors. | | | | | |
| | Lockable Front & back door. | | | | | |
| | Adjustable Mounting Depth. | | | | | |
| | Numbered U Position Optimized Width-19" Standard. | | | | | |
| | Easy Opening of Side Panels. | | | | | |
| | Power Distribution Unit (PDU), 6 Port, 220V, -AC ,13A (Clever Toten / Avanix branded) | | | | | |
| | 2 Nos. Cooling Fan hidden in the top Shelf. | | | | | |
| | One Fix shelf. | | | | | |
| | Cage, Nuts & screws. | | | | | |
| | Powder Coat Paint finish. | | | | | |
| Color: Black. | | | | | | |
| Rack (22U, 32U, 42U) | | | | | | |
| 23 | Size: 600mm (w) x 1000 mm (D) | Toten / Avanix | Mention | Mention | Nos. | |
| | Features: | | | | | |
| | Opening direction perforated Front Glass Door. | | | | | |
| | Vented Back Door for efficient Cooling effect. | | | | | |
| | 4 Units Cooling Fan hidden in the top Shelf. | | | | | |
| | 3 Power Distribution Unit (PDU), 18 Port, 220V, -AC ,13A (Clever Toten / Avanix branded) | | | | | |
| | Cable Arrangement Holder. | | | | | |
| | Adjustable Mounting Depth. | | | | | |
| | Lockable Front & Back Door. | | | | | |
| | Quick release Front and Back doors. | | | | | |
| | Numbered U Position Optimized Width-19" Standard. | | | | | |
| | Easy Opening of Side Panels. | | | | | |
| | All sides vented on the Top and in the Bottom for Air Flow. | | | | | |
| | 2 Nos. of Trays with venting advantage. | | | | | |
| | 1no. Of Sliding Rail Tray with venting advantage. | | | | | |
| Cage, Nuts & screws. | | | | | | |
| Powder Coat Paint finish. | | | | | | |
| Color: Black | | | | | | |

Signature & Seal of the bidder

| | | | | | | |
|----|---|-----------------------|---------|---------|------|--|
| 24 | Power Distribution Unit (PDU), 6 Port, 220V, –AC ,13A , Square PIN Type | Clever Toten / AvaniX | Mention | Mention | Nos. | |
| 25 | Structured Cabling Node Installation charge (Dhaka, Savar, Narayanganj, Gazipur): Per Node Installation, which involves PVC Pipe, Cable, Tray, Flexible pipes, channels & Ladder etc, Group Cutting, Punching, Crimping, Grounding, Rack Dressing, Running of UTP Cables Labeling, Testing. | | | | Node | |
| 26 | Structured Cabling Node Installation charge (Outside Dhaka) : Per Node Installation, which involves PVC Pipe, Cable, Tray, Flexible pipes, channels & Ladder etc, Group Cutting, Punching, Crimping, Grounding, Rack Dressing, Running of UTP Cables Labeling, Testing. | | | | Node | |

4. Access Control & Time Attendance System:

Bidders Qualification for Access Control & Time Attendance System:

1. Bidder must have Manufacturer's Authorization Letter to bid the tender
2. Bidder must have 3 Years of experience in access control and attendance management business
3. Bidder must have the experience to provide similar type of solution to at least Three Banks or financial institutions
4. Bidder must have the capacity to provide service of the existing installed access control & attendance device and access manager software.
5. Bidder must ensure availability of spare parts for the existing and new installations' devices for further three years.
6. Bidder must have the capacity to provide prompt service all around Bangladesh

4.1. Fingerprint/RF/Passcode/Facial Recognized Attendance Terminal:

| Features | Required specifications | Bidder's response |
|----------------------------|--|-------------------|
| Brand | Nitgen | |
| Model | To be mentioned by the bidder | |
| Country of Origin | Korea | |
| User Capacity | Face : 50,000 (1:1) Fingerprint: 100,000 (1:1) (1:N) Card: 100,000 | |
| Log Capacity | 10,00,000 | |
| Authentication Mode | SO, NL | |
| Memory Card | 4 GB Nand/8 GB micro SD | |
| Touch Screen | 5 Inch color touch LCD | |
| CPU | 1 GHZ Quad Core | |
| Authentication Type | Face, Finger , RF, Pin | |
| Communication | TCP/IP, RS 232, RS 485, Wiegand IN/OUT | |
| Replay | Lock | |
| Manufacturer Authorization | From Nitgen | |

4.2 Fingerprint/RF/Access Control Terminal:

| Features | Required specifications | Bidder's response |
|-------------------|--|-------------------|
| Brand | Nitgen | |
| Model | To be mentioned by the bidder | |
| Country of Origin | Korea | |
| User Capacity | Max User : 10,000; Logs : 100,000 ; Image :10,000 | |
| Log Capacity | 100,000.00 | |

Signature & Seal of the bidder

| | | |
|----------------------------|-------------------|--|
| Authentication Mode | SO, NL | |
| Display | 1.77"Color LCD | |
| Authentication Type | Fingerprint +card | |
| Communication | TCP/IP | |
| Replay | Lock | |
| Manufacturer Authorization | From Nitgen | |

4.3 EM Lock for Access Control

| Features | Required specifications | Bidder's response |
|-------------------|-------------------------------|-------------------|
| Brand | To be mentioned by the bidder | |
| Model | To be mentioned by the bidder | |
| Country of Origin | To be mentioned by the bidder | |
| Type | EM Type | |
| Holding Force | 180 KG | |
| Electric Volt | 12V DC | |

4.4 Price Schedule including Accessories & Installation Charge:

| Items | Quantity | Price |
|---|-----------|-------|
| Item: 4.1 Fingerprint/RF/Passcode/Facial Recognized Attendance Terminal, Brand: Nitgen | 01 | |
| Item 4.2: Fingerprint/RF/Access Control Terminal, Brand: Nitgen | 01 | |
| Item: 4.3 EM Lock | 01 | |
| Network (LAN) Cable (brand: Draka or Similar (EU/USA Manufactured), Power Cable (BRB or Similar), PVC Conduits and etc | 01 | |
| Necessary accessories such as U Bracket or Z bracket as required | 01 | |
| Necessary (if) tempered glass door alignment as installed (Inside Dhaka District) | 01 | |
| Necessary (if) tempered glass door alignment as installed (Outside Dhaka District) | 01 | |
| Installation Charge within the periphery of Dhaka District | 01 | |
| Installation Charge outside the periphery of Dhaka District | 01 | |
| Total | | |

Name of the Bidder :
Designation of the Bidder :
Company Name :
Business Address :
Mobile No. :

Signature & Seal of the bidder